



European
Commission

DIRECTORATE-GENERAL
TAXATION AND CUSTOMS UNION

CS/RD2

Code List Specifications

Applicability:	NCTS-P4
Validity date of specifications:	2022-04-10
Specifications extracted on:	2022-04-11 @19:48

Generated from: CS/RD2

<http://csrd2.itsm.ccncsi.int:7040/csrd-web>



1. List of available Technical Code Lists

1. List of available Technical Code Lists

Number	Title	Format	Type
CL001	NCTS UN/EDIFACT Message Types	an..6	T
CL002	Message types for CUSDEC	an..6	T
CL003	Message types for CUSRES	an..6	T
CL004	Message types for GESMES	an..6	T
CL005	Message types for PARTTC	an..6	T
CL006	Message types for FUNACK	an..6	T
CL007	Message types for CONTRL	an..6	T
CL021	Syntax identifier	a4	T
CL022	Syntax version number	n1	T
CL023	Error Codes for EDI NCK	n..2	T
CL024	ModificationType	a1	T
CL025	Address type	a1	T
CL026	MonthOfYear	an2	T
CL027	Flag	n1	T
CL028	First/Last	a1	T
CL032	Action Codes	an..3	T
CL033	Interchange Service Segment Tags	a3	T
CL034	Message Service Segment Tags	a3	T
CL035	Version Numbers	an..3	T
CL036	Release Numbers	an..3	T
CL037	Controlling Agencies	an..2	T
CL049	Functional Error Codes	n2	T
CL053	PrefixSuffixLevel	an1	T
CL060	MessageTypes	an..6	T
CL061	ISO 6346	an..2	T
CL065	UNOD Languages	a2	T
CL066	UNOF Languages	a2	T
CL068	BusinessFunctionalityCode	a1	T
CL074	Message types for BANSTA	an..6	T
CL075	Message types for GENRAL	an..6	T
CL077	Message types for FINSTA	an..6	T
CL078	Message types for SANCRT	an..6	T
CL079	SystemUnavailabilityType	a1	T
CL080	UNOH Languages	a2	T
CL081	CS/MIS status	an2	T
CL082	CSI returned code	n1	T
CL083	MRN Follow up queries (Role A & Role B)	a2	T
CL084	CS/MIS status explanation code	n..2	T
CL085	UNOE languages	a2	T
CL105	DayInTheWeek	n1	T
CL110	UNOG languages	a2	T
CL111	UNOC languages	a2	T
CL117	Security indicator	n1	T
CL136	CustomSystem	n..2	T
CL137	UNOK Languages	a2	T

2. List of available Authorities Code Lists

2. List of available Authorities Code Lists

Number	Title	Format	Type
--------	-------	--------	------

3. List of available Business Code Lists

3. List of available Business Code Lists

Number	Title	Format	Type
CL008	CountryCodesFullList	a2	B
CL009	CountryCodesCommonTransit	a2	B
CL010	CountryCodesCommunity	a2	B
CL011	CountryRegime	an3	B
CL012	LanguageCodes	a2	B
CL013	Document Type (Common)	an..4	B
CL014	Previous document type (Common)	an..6	B
CL015	GeoInfoCodes	an..6	B
CL017	KindOfPackages	an..3	B
CL018	Transport Mode	n..2	B
CL020	TrafficType	an..3	B
CL029	ResponseCode	n..2	B
CL031	Type of Declaration Transit/Export Procedures	an..9	B
CL039	Additional Information ID (Common)	an..5	B
CL041	Control Indicator RoC/ GI-RoC	an2	B
CL043	AAR/AER rejection reason	n..2	B
CL044	ATR rejection reason code	n..2	B
CL045	Amendment rejection motivation code	n1	B
CL046	Diversion rejection	n..2	B
CL047	Control result	an2	B
CL048	CurrencyCodes	an3	B
CL050	GuaranteeMonitoringCodes	n1	B
CL051	GuaranteeTypeCodes	an1	B
CL052	Invalid guarantee reason codes	an..3	B
CL054	QueryIdentifier	n1	B
CL056	Role	an..3	B
CL057	Statistics Type	an..4	B
CL058	Customs Operation State Types	an..3	B
CL063	Country Codes (Common Transit outside Community)	a2	B
CL067	SpecificNotesCode	an..6	B
CL069	Discrepancies Solved Notification Code	an..2	B
CL070	CountryCodesCustomsOfficeLists	a2	B
CL071	CountryCodesGuaranteeManagementNonEC	a2	B
CL095	Risk analysis result code	an1	B
CL096	Specific circumstance indicator	a1	B
CL101	UnDangerousGoodsCode	an4	B
CL116	TransportChargesMethodOfPayment	a1	B
CL118	RequestedInformationCode	n1	B
CL119	InformationCode	n2	B
CL139	CountryCodesFunctioningAsNonEUCommonTransitCountries	a2	B
CL141	CustomsOffices	an8	B
CL142	CountryRegion	a2,an..3	B
CL143	CountryHolidays	a2	B
CL144	UnLocode	a2,a3	B

CL007. Message types for CONTRL

CL001. NCTS UN/EDIFACT Message Types

Details:

Used for attribute MESSAGE ERRORS.Message Type.

Format:

an..6

Type:

Technical

CL002. Message types for CUSDEC

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL003. Message types for CUSRES

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL004. Message types for GESMES

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL005. Message types for PARTTC

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL006. Message types for FUNACK

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL007. Message types for CONTRL

CL013. Document Type (Common)

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL008. CountryCodesFullList

Details:

The list of codes to identify the countries, based on the ISO3166-1 for NCTS, and based on COM Regulation No.1106/2012 implementing Regulation (EC) No 471/2009 for the other trans-European systems (incl. ECS, ICS, EOS, COPIS).

Format:

a2

Type:

Business

CL009. CountryCodesCommonTransit

Details:

The list of codes to identify the countries (territories) involved in NCTS. It consists of the country codes defined in CL008 for the countries with a country regime different from 'OTH' (i.e. country regime equal to 'EEC' or 'TOC').

Format:

a2

Type:

Business

CL010. CountryCodesCommunity

Details:

The list of codes to identify the countries (territories) where the EU Customs legislation is applicable (per customs IT system). It consists of the country codes defined in CL008 for the countries with a country regime equal to 'EEC'. Note: the list of codes are different for NCTS and AES, taking into account the differences that exist in CL008.

Format:

a2

Type:

Business

CL011. CountryRegime

Details:

The list of codes to specify the type of regime applicable to each country (for the countries involved in the trans-European systems and the others).

Format:

an3

Type:

Business

CL012. LanguageCodes

Details:

The list of 2-letter codes to represent most of the languages of the world, based on ISO 639-1.

Format:

a2

Type:

Business

CL013. Document Type (Common)

Details:

Used to specify the produced documents/certificates to be sent across the Common Domain. Additional codes can be defined at national level in a separate National Codelist. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..4

Type:

Business

CL014. Previous document type (Common)

Details:

Previous administrative reference types to be sent across the Common Domain. Additional codes can be defined at national level in a separate National Codelist. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..6

Type:

Business

CL015. GeoInfoCodes

Details:

The list of code specifying the Customs Office's location.

Format:

an..6

Type:

Business

CL017. KindOfPackages

Details:

The list of codes defined by UNECE to represent the package type names used in interantional trade (Recommendation N°21 - Revision 11 - Issued in 2020).

Format:

an..3

Type:

Business

CL018. Transport Mode

Details:

Mode of transport corresponding to the active means of transport (see Annex 38 Implementing Provisions and Annex A9 to Appendix III of the Convention). Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

n..2

Type:

Business

CL020. TrafficType

Details:

The list of codes to specify the type of traffic dealt with in the Customs Office. This entity is used for the Customs Office List.

Format:

an..3

Type:

Business

CL021. Syntax identifier

Details:

Character set taken from the used UN/EDIFACT syntax version.

Format:

a4

Type:

Technical

CL022. Syntax version number

Details:

UN/EDIFACT syntax version used for Information Exchanges.

Format:

n1

Type:

Technical

CL023. Error Codes for EDI NCK

Details:

Subset of the UN/EDIFACT generic error table. - For remarks on the codes : see the main document of the DDNTA Sec. VIII.3.3.

Format:

n..2

Type:

Technical

CL024. ModificationType

Details:

The list of code specifying the operation applied when an action is executed.

Format:

a1

Type:

Technical

CL025. Address type

Details:

Used in data group GUARANTEE REFERENCE. GUARANTOR.GUARANTOR OTHER ADDRESSES in IE37.

Format:

a1

Type:

Technical

CL026. MonthOfYear

Details:

The list of codes to specify the month of the year.

Format:

an2

Type:

Technical

CL027. Flag

Details:

The list of values for the flag (0/1).

Format:

n1

Type:

Technical

CL028. First/Last

Details:

Format:

CL036. Release Numbers

a1

Type:

Technical

CL029. ResponseCode

Details:

The list of codes to specify the NCTS inquiry procedure response.

Format:

n..2

Type:

Business

CL031. Type of Declaration Transit/Export Procedures

Details:

This list applies to attribute Declaration type for CUSDEC-mapped IEs. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..9

Type:

Business

CL032. Action Codes

Details:

Used for attribute MESSAGE ERRORS.Action taken by recipient.

Format:

an..3

Type:

Technical

CL033. Interchange Service Segment Tags

Details:

Used to denote the Interchange Segment in which an error was detected.

Format:

a3

Type:

Technical

CL034. Message Service Segment Tags

Details:

Used to denote the Message Segment in which an error was detected.

Format:

a3

Type:

Technical

CL035. Version Numbers

Details:

Format:

an..3

Type:

Technical

CL036. Release Numbers

CL045. Amendment rejection motivation code

Details:

Format:

an..3

Type:

Technical

CL037. Controlling Agencies

Details:

Format:

an..2

Type:

Technical

CL039. Additional Information ID (Common)

Details:

Codes for Special Mentions (Box 44), see Regulation 1875/2006, Annex 30A. 'Additional Information/Special Indication Code to be sent across the Common Domain. Additional codes can be defined at national level in a separate National code list. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..5

Type:

Business

CL041. Control Indicator RoC/ GI-RoC

Details:

This list applies to the data group RESULTS OF CONTROL. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an2

Type:

Business

CL043. AAR/AER rejection reason

Details:

Code to identify the AAR/AER rejection reason (See also codelist 39). Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

n..2

Type:

Business

CL044. ATR rejection reason code

Details:

Code to identify the ATR rejection reason. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

n..2

Type:

Business

CL045. Amendment rejection motivation code

Details:

- Used to specify the Amendment Rejection Motivation. - Other codes have to be defined at National Level. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

n1

CL052. Invalid guarantee reason codes

Type:

Business

CL046. Diversion rejection

Details:

Code to identify the diversion rejection reason. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

n..2

Type:

Business

CL047. Control result

Details:

Used to record the results of a control of goods either at departure or at destination (see Annex 38/A Implementing Provisions and Annex Ixa of the Convention). Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an2

Type:

Business

CL048. CurrencyCodes

Details:

The list of codes to identify the currency used, with the exchange rate against EURO, as published yearly in the Official Journal.

Format:

an3

Type:

Business

CL049. Functional Error Codes

Details:

- Subset of the UN/EDIFACT generic error table. All values are listed in the table below. The values of this codelist are also available and updated in CS/RD2.

Format:

n2

Type:

Technical

CL050. GuaranteeMonitoringCodes

Details:

The list of codes to specify the monitoring type of a guarantee (e.g. in NCTS).

Format:

n1

Type:

Business

CL051. GuaranteeTypeCodes

Details:

List of the types of guarantee (includes the code defined in the Convention on common transit)

Format:

an1

Type:

Business

CL052. Invalid guarantee reason codes

CL060. MessageTypes

Details:

Used to specify the invalid guarantee reason. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..3

Type:

Business

CL053. PrefixSuffixLevel

Details:

The list of code specifying if the information on the Customs Office is considered as suffix or prefix.

Format:

an1

Type:

Technical

CL054. QueryIdentifier

Details:

The list of code specifying the identifier of a query on a guarantee.

Format:

n1

Type:

Business

CL056. Role

Details:

The list of roles that a Customs Office located in EU can play. Some of the roles can also be assigned to a Customs Office located outside EU (e.g. in the context of NCTS). Also used by DDS2-COL (europa.eu).

Format:

an..3

Type:

Business

CL057. Statistics Type

Details:

The list with possible values as well as their applicability can be found in FTSS 4.00 Sec. V Heading 1.2 'Archive procedures'. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..4

Type:

Business

CL058. Customs Operation State Types

Details:

- Values at Common Domain level. - Other values can be defined at national Level. - Codelist is maintained in CS/RD2. - Values are shown for illustration only.

Format:

an..3

Type:

Business

CL060. MessageTypes

Details:

The list of codes used to identify the type of messages exchanged on the Common Domain and on the External Domain (e.g. CD001B, CD302A, CC515C, CD801A).

Format:

CL068. BusinessFunctionalityCode

an..6

Type:

Technical

CL061. ISO 6346

Details:

Algorithm for calculation of Check Character for MRN & GRN: each character (left-hand column) of the reference number is given a numeric value as determined by right-hand value.

Format:

an..2

Type:

Technical

CL063. Country Codes (Common Transit outside Community)

Details:

Codelist is maintained in CS/RD2 and can be found by selecting the countries with country regime equal to TOC. Values are shown for illustration only.

Format:

a2

Type:

Business

CL065. UNOD Languages

Details:

Codes for those languages that utilise the UNOD (Latin-2) character set.

Format:

a2

Type:

Technical

CL066. UNOF Languages

Details:

Codes for those languages that utilise the UNOF 5 (Greek) character set. The technical codes included in Business Codelists will be maintained by the CS/RD, since the Business Codelists as whole are maintained by CS/RD.

Format:

a2

Type:

Technical

CL067. SpecificNotesCode

Details:

The list of code related to the specific notes that can be applied on a Customs Office. This code list is managed by DG TAXUD and used by the National teams when maintaining the Customs Office List.

Format:

an..6

Type:

Business

CL068. BusinessFunctionalityCode

Details:

The list of business functionalities that can be impacted in operations when a national application is temporary unavailable, or not yet completely operational.

Format:

a1

Type:

CL078. Message types for SANCRT

Technical

CL069. Discrepancies Solved Notification Code

Details:

Used for verification of code entered. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an..2

Type:

Business

CL070. CountryCodesCustomsOfficeLists

Details:

This Codelist includes the countries who are maintaining their Customs Offices in CS/RD2. It lists the country codes used as the first two characters of the Customs Office Reference Number.

Format:

a2

Type:

Business

CL071. CountryCodesGuaranteeManagementNonEC

Details:

The codes of all the countries included in code list CL063 - Country Codes (Common Transit outside Community) and also present in CL070 (Country codes customs office list)

Format:

a2

Type:

Business

CL074. Message types for BANSTA

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL075. Message types for GENRAL

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL077. Message types for FINSTA

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL084. CS/MIS status explanation code

CL078. Message types for SANCRT

Details:

Used for attribute MESSAGE ERRORS.Association assigned code and MESSAGE.Message Type. The codelist that is used in the TMS is codelist 60.

Format:

an..6

Type:

Technical

CL079. SystemUnavailabilityType

Details:

The list of code specifying the type of unavailability of an application or system.

Format:

a1

Type:

Technical

CL080. UNOH Languages

Details:

Codes for those languages that utilise the UNOH (Latin-4) character set.

Format:

a2

Type:

Technical

CL081. CS/MIS status

Details:

Used to represent the statuses that CS/MIS supports.

Format:

an2

Type:

Technical

CL082. CSI returned code

Details:

Used to represent the CSI returned code for the CSI report messages.

Format:

n1

Type:

Technical

CL083. MRN Follow up queries (Role A & Role B)

Details:

Used to represent the roles in the MRN Follow up queries.

Format:

a2

Type:

Technical

CL084. CS/MIS status explanation code

Details:

Used to represent the reason that no MRN query results were returned.

Format:

CL111. UNOC languages

n..2

Type:

Technical

CL085. UNOE languages

Details:

Codes for those languages that utilise the UNOE (ISO/IEC 8859-5 Latin/Cyrillic alphabet) character set.

Format:

a2

Type:

Technical

CL095. Risk analysis result code

Details:

“Values for the 1-4 digits: Some code values will be defined at Common Domain level, other values can be defined at National Domain level. Values at common domain level (codes to be used for C-Messages) will be defined by the Risk Management Framework project. Values for the last digit:” Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

an1

Type:

Business

CL096. Specific circumstance indicator

Details:

Regulation 1875/2006. Codelist is maintained in CS/RD2. Values are shown for illustration only.

Format:

a1

Type:

Business

CL101. UnDangerousGoodsCode

Details:

The list of codes to specify the dangerous goods. Codes from the UNDG (United Nations Dangerous Goods) list (ADR) produced by UNECE.

Format:

an4

Type:

Business

CL105. DayInTheWeek

Details:

The list of code specifying the day in the week.

Format:

n1

Type:

Technical

CL110. UNOG languages

Details:

Codes for those languages that utilise the UNOG (ISO/IEC 8859-3 Latin alphabet No.3) character set.

Format:

a2

Type:

Technical

CL111. UNOC languages

Details:

Codes for those languages that utilise the UNOC (ISO/IEC 8859-1 Latin alphabet No.1) character set.

Format:

a2

Type:

Technical

CL116. TransportChargesMethodOfPayment

Details:

The list of code specifying the payment method for transport charges.

Format:

a1

Type:

Business

CL117. Security indicator

Details:

Format:

n1

Type:

Technical

CL118. RequestedInformationCode

Details:

The list of codes specifying the type of information requested (e.g. in the context of an enquiry).

Format:

n1

Type:

Business

CL119. InformationCode

Details:

The list of codes specifying the response to the information requested (e.g. in the context of an enquiry) – See also CL118.

Format:

n2

Type:

Business

CL136. CustomSystem

Details:

The list of codes used to defined the applicable Customs System (Technical code list)

Format:

n..2

Type:

Technical

CL137. UNOK Languages

Details:

Codes for those languages that utilise the UNOK (Turkish) character set.

Format:

a2

CL144. UnLocode

Type:

Technical

CL139. CountryCodesFunctioningAsNonEUCommonTransitCountries

Details:

Codelist is maintained in CS/RD2 and can be found by selecting the countries with country regime equal to TOC. Values are shown for illustration only.

Format:

a2

Type:

Business

CL141. CustomsOffices

Details:

The full list of Customs Offices and Customs Authorities active in the EU and in the partner countries. The content of this code list is maintained by each National Administration, under their sole responsibility. This CL141 is part of the Customs Office List (COL) published on europa.eu (see https://ec.europa.eu/taxation_customs/dds2/col/).

Format:

an8

Type:

Business

CL142. CountryRegion

Details:

The list of the regions per country. The content of this code list is maintained by each National Administration, under their sole responsibility. This CL142 is part of the Customs Office List (COL) published on europa.eu (see https://ec.europa.eu/taxation_customs/dds2/col/).

Format:

a2,an..3

Type:

Business

CL143. CountryHolidays

Details:

The list of the public holidays per country. The content of this code list is maintained by each National Administration, under their sole responsibility. This CL143 is part of the Customs Office List (COL) published on europa.eu (see https://ec.europa.eu/taxation_customs/dds2/col/).

Format:

a2

Type:

Business

CL144. UnLocode

Details:

The list of the UN/LOCODE codes from the countries having Customs Offices maintained in CL141. For the full list of UN/LOCODE, please consult the CL244 (UnLocodeExtended) with all locations in 249 countries and installations in international waters.

Format:

a2,a3

Type:

Business